

What We Test for in DSC Well Water

TOTAL COLIFORM BACTERIA (TCR) With Free Chlorine sampled once a month

Disinfection Byproducts, TTHMs and HAA5s, 1 dual sample(s) per sample point for a TOTAL of 1 dual sample(s) every 3 Years during the collection period

Lead and Copper, 5 sample(s) per Year

GROSS ALPHA, WITHOUT RADON & URANIUM Sample Schedule 1 sample(s) per 3 Years

INORGANICS GROUP, 1 sample(s) per 3 Years

SYNTHETIC ORGANICS GROUP Sample Schedule, 1 sample(s) per 3 Years

VOLATILE ORGANICS GROUP Sample Schedule, 1 sample(s) per 3 Years

COMBINED RADIUM (-226 & -228) Sample Schedule, 1 sample(s) per 6 Years

NITRITE Sample Schedule, 1 sample(s) per 9 Years

INORGANICS GROUP: ANTIMONY | ARSENIC | BARIUM | BERYLLIUM | CADMIUM | CHROMIUM | MERCURY | NICKEL | SELENIUM | SODIUM | THALLIUM (11 Analytes in Group)

SYNTHETIC ORGANICS GROUP: 1,2-DIBROMO-3-CHLOROPROPANE | 2,4,5-TP | 2,4-D | ALDICARB | ALDICARB SULFONE | ALDICARB SULFOXIDE | ATRAZINE | BENZO(A)PYRENE | BHC GAMMA | CARBOFURAN | CHLORDANE | DALAPON | DI(2-ETHYLHEXYL) ADIPATE | DI(2-ETHYLHEXYL) PHTHALATE | DINOSEB | DIQUAT | ENDOTHALL | ENDRIN | ETHYLENE DIBROMIDE | HEPTACHLOR | HEPTACHLOR EPOXIDE | HEXACHLOROBENZENE | HEXACHLOROCYCLOPENTADIENE | LASSO | METHOXYCHLOR | OXAMYL | PENTACHLOROPHENOL | PICLORAM | SIMAZINE | POLYCHLORINATED BIPHENYLS (PCB) | TOXAPHENE (31 Analytes in Group)

VOLATILE ORGANICS GROUP: 1,1,1-TRICHLOROETHANE | 1,1,2-TRICHLOROETHANE | 1,1-DICHLOROETHYLENE | 1,2,4-TRICHLOROBENZENE | 1,2-DICHLOROETHANE | 1,2-DICHLOROPROPANE | BENZENE | CARBON TETRACHLORIDE | CHLOROBENZENE | CIS-1,2-DICHLOROETHYLENE | DICHLOROMETHANE | ETHYLBENZENE | ODICHLOROBENZENE | P-DICHLOROBENZENE | STYRENE | TETRACHLOROETHYLENE | TOLUENE | TRANS-1,2-DICHLOROETHYLENE | TRICHLOROETHYLENE | VINYL CHLORIDE | XYLENES (TOTAL) (21 Analytes in Group)